

First for folding furniture & much more



Why choose Gopak

Gopak is a British manufacturer of multi-functional furniture, incorporating 100% recyclable aluminium into the majority of our designs. Our furniture is light in weight, yet extremely strong and durable.

All Gopak furniture has been designed to fold or be supplied flat pack for efficient, effective and cost saving transportation to the end user.

Made to exacting standards

Our quality accreditations include: BS EN1729 Part 1 for Dimensional Fit BS EN1729 Part 2 for Strength and Stability GS TUV for Strength and Durability





Our Guarantee

Lifetime guarantee on all folding tables 5 Year guarantee on Enviro tables and Ultralight staging









FOLDING TABLES & STACKING BENCHES

- 2 Contour25 Folding Tables / Benches
- 4 Contour 25 Plus / Round Folding Tables
- 6 Premier Folding Tables / Benches
- 8 Economy Folding Tables / Benches
- 10 Games / Ali Folding Tables
- 12 Table Storage Trolleys
- 14 KS1 & KS2 Activity Tables
- 16 Universal / Vantage Folding Tables

:NVIRO TABLE & BENCHES

- 18 Daisy / Keyhole Tables
- 20 Bean / Trapezoidal / Round Tables
- 22 Link / Shield Tables
- 24 Rectangular Tables / Benches
- 26 Project Tables
- 28 High Tables / Triangular Tables
- 30 Coffee Tables / Changing Room Benches
- 32 Workspace Tables
- 34 Outdoor Tables / Benches
- 36 Outdoor Furniture

ULTRALIGH[.] Staging

- 38 Ultralight How it works
- 40 Ultralight Staging Packages
- 42 Ultralight Choir Packages
- 44 Ultralight Trolleys & Accessories
- 46 Ultralight Safety Accessories

USEFUL INFO

- 48 Laminate Swatches
- 50 Height Guide and Dimensions
- 52 FAQ's

Contour 25 Folding Tables











UK's best selling folding table

- Iconic twin leg design
- Wipe clean laminate table top
- Lightweight aluminium frame
- Simple, fail safe folding





C/AA25	L1830mm x W760mm	12.35kg	6ft
C/AB25	L1830mm x W685mm	11.50kg	
C/AC25	L1830mm x W610mm	11.25kg	
C/AD25	L1830mm x W480mm	10.50kg	
C/BA25	L1520mm x W760mm	10.75kg	5ft
C/BB25	L1520mm x W685mm	10.00kg	
C/BC25	L1520mm x W610mm	9.50kg	
C/CA25	L1220mm x W760mm	9.25kg	4ft
C/CB25	L1220mm x W685mm	8.00kg	
C/CC25	L1220mm x W610mm	7.80kg	
C/DA25	*L915mm x W760mm	7.50kg	3ft
C/DB25	*L915mm x W685mm	7.00kg	
C/DC25	*L915mm x W610mm	6.50kg	
		, ,	

Table Heights (mm)

760 | 700 | 635 | 584 | 546 | 508



School dining Functions & fundraising Crafting Canteens Church & Village halls

^{*915}mm long tables are not available 760mm high

Contour 25 Stacking Benches

Best selling school benches

- Stack for storage up to 10 high
- Wipe clean laminate seat top
- Lightweight aluminium frame
- Strong and robust













Contour25 Stacking Benches

6.50kg C/AF25 L1830mm x W254mm C/BF25 L1520mm x W254mm 5.50kg C/CF25 L1220mm x W254mm 4.75kg Bench Heights (mm)

483 | 432 | 381







GP63 Acid Green



GP41 Pastel Blue







GP44 Azure

















GP46 Fuchsia







GP35 Ailsa



GP42 Orange

Contour 25 Plus Folding Tables











Extra strong but light folding table

- Iconic twin leg design
- Wipe clean laminate table top
- Strengthened legs
- Improved stability



Table Heights (mm)

*L915mm x W685mm

*L915mm x W610mm

760 | 700

8.50kg

8.00kg

Canteens
Social events
Retail display
Crafting
Church & Village halls

CP/DB525

CP/DC525

^{*915}mm long tables are not available 760mm high

Round Folding Tables

Heavy duty folding tables

- Wipe clean laminate table top
- Posi-lock folding mechanism
- Strong and robust
- GS Approved design















Round Folding Tables

RD/BL40 1520mm dia. 27.50kg

1520mm Table Heights (mm) 760 | 700

RD/CL40 1220mm dia. 20.00kg

1220mm Table Heights (mm) 760 | 700 | 635 | 584 | 546 | 508







GP63 Acid Green





GP41 Pastel Blue GP64 Snow Grit





GP44 Azure

GP38 Beech





GP65 Lilac



GP39 Maple



GP45 Pea Green





GP46 Fuchsia







GP35 Ailsa



Premier Folding Tables











Premium class folding table

- Wipe-clean laminate table top
- Seamless polyurethane edge
- Top quality finish
- Very strong and robust

Premier Folding Tables

P/AA3	L1830mm x W760mm	19.00kg	6ft
P/AB3	L1830mm x W685mm	18.75kg	
P/AC3	L1830mm x W610mm	17.50kg	
P/BA3	L1520mm x W760mm	12.50kg	5ft
P/BB3	L1520mm x W685mm	11.50kg	
P/BC3	L1520mm x W610mm	10.90kg	
P/CA3	L1220mm x W760mm	10.75kg	4ft
P/CB3	L1220mm x W685mm	9.60kg	
P/CC3	L1220mm x W610mm	9.25kg	
P/DA3	*L915mm x W760mm	9.00kg	3ft
P/DB3	*L915mm x W685mm	8.50kg	
P/DC3	*L915mm x W610mm	8.00kg	
Table Heights (mm)			

760 | 700 | 635 | 584 | 546 | 508

*915mm long tables are not available 760mm high

School dining Community halls Leisure centres Canteens Retail display

Premier Stacking Benches

Premium class stacking bench

- Wipe-clean laminate bench seat
- Seamless polyurethane edge
- Stack for storage up to 10 high
- Very strong and robust











Stacked benches shown on optional Bench skate for ease of transportation



Premier Stacking Benches

P/CF3

P/AF3 L1830mm x W254mm 8.80kg

P/BF3 L1520mm x W254mm 7.00kg

L1220mm x W254mm

Bench Heights (mm) 483 | 432 | 381

6.25kg







GP63 Acid Green







GP41 Pastel Blue











GP65 Lilac GP39 Maple





GP45 Pea Green













GP35 Ailsa



Orange

Economy Folding Tables











- Iconic twin leg design
- Light to handle



Economy Folding Tables

E/AB4	L1830mm x W685mm	12.00kg	6ft
E/AC4	L1830mm x W610mm	11.50kg	
E/CB4	L1220mm x W685mm	8.25kg	4ft
E/CC4	L1220mm x W610mm	8.00kg	
E/DB4	L915mm x W685mm	7.25kg	3ft
E/DC4	L915mm x W610mm	6.75kg	

Table Height (mm) 700

Scouts & Guides Activity centres Church & Village halls Canteens

Economy Stacking Benches

The low budget choice

- Stack for storage up to 10 high
- Use inside and out











Economy Stacking Benches

E/AF4 L1830mm x W254mm 6.25kg E/CF4 L1220mm x W254mm 5.00kg Bench Height (mm)

432







GP81 Durham Oak





Games Folding Tables









Felt baize covered games table

- Folds flat for storage
- Light yet strong
- Perfect for card & board games





Felt Baize Selection





Games Folding Tables

GT/DE6 L910 x W890mm 9.00kg

Table Height (mm) 700

Whist clubs Social clubs

Folding Tables

Aluminium folding table

- Lightweight
- For Scout camps
- For gardeners
- Can be left outside all year









Aluminium Top Folding Tables

AL/CC7 L1220 x W610

7.50kg

Table Heights (mm) 760 | 700





Laminate Selection











GP45 Pea Green



Tub Top Folding Tables

AT/CA6 L1220mm x W760mm

AT/AA6 L1830mm x W760mm

Y/AS302 Spare plastic tubs L170 x W170 x D110mm Minimum 3 tubs

> Table Heights (mm) 760 | 700 | 635 | 584 | 546 | 508

Each table is supplied with tubs but additional tubs can be purchased

8.50kg

Folding play table

- Supplied with tubs
- Lift out tubs & fold away

Universal Folding Tables














- Posi-lock folding mechanism
- Bright zinc steel legs
- Extra strong and stable
- GS Approved design



Posi-lock folding mechanism

Universal Folding Table

-,	L1830mm x W760mm L1830mm x W685mm L1830mm x W610mm	18.00kg 17.25kg 16.00kg	6ft
	L1520mm x W760mm L1520mm x W685mm L1520mm x W610mm	16.00kg 15.25kg 16.00kg	5ft
-,	L1220mm x W760mm L1220mm x W685mm L1220mm x W610mm	14.00kg 13.00kg 12.75kg	4ft
U/DA15	*L915mm x W760mm		

Table Heights (mm)

760 | 700

*only available 700mm high

Semi-permanent use Secondary schools Further education Office Home

Vantage Folding Tables

Ultra heavy duty folding table

- Posi-lock folding mechanism
- GS Approved design
- Extra strong and stable
- Polyurethane edge













Laminate Selection









GP63 Acid Green



GP37 Teak

GP41 Pastel Blue GP64 Snow Grit





GP38 Beech





GP39 Maple



Posi-lock folding mechanism



GP45 Pea Green



GP46 Fuchsia



GP35 Ailsa





Vantage Folding Table

V/AA20	L1830mm x W760mm	24.25kg	6ft
V/AB20	L1830mm x W685mm	23.75kg	
V/AC20	L1830mm x W610mm	21.00kg	
V/BA20	L1520mm x W760mm	20.25kg	5ft
V/BB20	L1520mm x W685mm	19.75kg	
V/BC20	L1520mm x W610mm	18.00kg	
V/CA20	L1220mm x W760mm	16.25kg	4ft
V/CB20	L1220mm x W685mm	15.75kg	
V/CC20	L1220mm x W610mm	14.75kg	
V/DA20	*L915mm x W760mm	14.25kg	3ft
V/DB20	*L915mm x W685mm	14.00kg	
V/DC20	*L915mm x W610mm	13.75kg	

Table Heights (mm) 760 | 700



^{*}only available 700mm high

Keystage 1&2 Activity Tables











Custom designed table tops

- Folding or static tables
- For stimulating learning



Activity Folding Table

AT/CB6

L1220 x W685mm

8.00kg

Table Heights (mm) 700 | 635 | 584 | 546 | 508



Enviro Static Table

EN/AT37/S

L1210 x W682mm

16kg

Table Heights (mm) 710 | 640 | 590 | 530 | 460





Early years Sunday schools

Key Stage 1&2 Activity Tables

KS2 curriculum based designs

- Folding or static tables
- For stimulating learning











Key Stage 1



Town



Farm



Zoo

Key Stage 2



British History



Solar System



World Map

Table Storage









If you need your trolleys to pass through doorways, please check the dimensions prior to ordering.

Small Folding Table Trolley

A3001 Small L875 x W745 x H1127mm 27.00kg

Capacity up to seven folding tables

Large Folding Table Trolley

A2501 Large L1675 x W745 x H1127mm 53.00kg

Capacity up to fourteen folding tables

Storage for Gopak folding tables

- Include brake castors
- Safety straps supplied





School dining halls Church & village halls Canteens Community centres

Table Storage

Storage & Accessories

- Fastfold to assist with folding
- Bench skate to move 8 benches







Loaded height 1570mm

Round Folding Table Trolley

A4001 Round

L1738 x W751 x H1000mm

55.00kg

Capacity up to six round folding tables



Holds up to 8 benches when stacked

Bench Skate Set

A5001 Bench Skates L380 x W220mm

3.00kg

Big Foot Set

A6001 Set of four Big feet

75a

Prevent your tables & benches from sinking into soft ground with Big foot or use as indoor floor protectors.

FastFold

A9001 FastFold

L290 x W70 x H65mm

320g

FastFold tool a time saving device to assist with the folding down of tables







Enviro Daisy Table













- Colourful learning
- Child friendly design
- The first class choice









Mid Grey



Ruby Red



Dusky Blue



Green



Daisy Table

EN/DS37/S 1200mm Dia. 16.45kg

4ft

Table Heights (mm) 710 | 640 | 590 | 530 | 460 Nurseries Playgroups Primary schools Early Years learning

Enviro Keyhole Table

Great for classrooms

- Colourful learning
- For all age groups
- Strong and durable















Keyhole Table

EN/BK37/S

1500mm Dia.

15.00kg

Table Heights (mm) 710 | 640 | 590 | 530 | 460









GP63 Acid Green





GP41 Pastel Blue







GP44 Azure















GP45 Pea Green



GP46 Fuchsia







GP35 Ailsa



GP42 Orange



Enviro Classroom Tables



ABS Edge Colours

> Light Grey

> Mid Grey

Ruby Red

Dusky Blue

Green

Black









Great for classrooms

- Colourful learning
- For all age groups
- Strong and durable





Trapezoidal Table

EN/CT37/S L1400 x W560mm 24.00kg

Table Heights (mm)
760 | 710 | 640 | 590 | 530 | 460

Playgroups
Primary schools
Early Years learning

Enviro Round Tables

A social shape

- Multiple uses
- Ideal for dining
- Strong and durable















Round Tables

EN/DD35/S 1200mm Dia. 20.80kg EN/CD35/S 1000mm Dia. 17.50kg 12.50kg EN/ED35/S 900mm Dia.

> Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460

Laminate Selection











GP63 Acid Green







GP64 Snow Grit





GP44 Azure







GP65 Lilac



















GP35 Ailsa



GP42 Orange

GP47 Storm

21

Enviro Link Table









Multi configurable tables

- For collaborative spaces
- Learning and creating
- Strong and durable



ABS Edge Colours



Light Grey



Mid Grey



Ruby Red



Dusky Blue



Green





EN/DL35/S W1200mm

12.50kg

4ft

Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460 Classrooms
Offices
Collaborative areas
Dining

Enviro Shield Table

Unique shield shape

- Large seating capacity
- Optional castor
- For school dining













EN/BD35/S W1500mm 24.00kg EN/BD35/SC W1500mm with castor 24.00kg

> Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460







GP63 Acid Green







GP41 Pastel Blue GP64 Snow Grit





GP44 Azure

GP38 Beech



GP65 Lilac





GP45 Pea Green







GP46 Fuchsia





GP35 Ailsa



GP42 Orange

Enviro Tables














- Premium quaility
- Light yet strong





ABS Edge Colours



Light Grey



Mid Grey



Ruby Red



Dusky Blue



Green



Enviro Rectangular Tables

EN/CA35/S L1400 x W750mm 19.50		
	EN/CA35/S EN/DA35/S	25.00kg 19.50kg 17.50kg 15.30kg

Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460



Enviro Square Tables

EN/FF35/S	L750 x W750mm	20.80kg
EN/GG35/S	L600 x W600mm	17.50kg

Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460 Classroom Office

Enviro Benches

Bench seats for all areas

- Ideal for school dining
- Light yet strong
- Smart and stylish























GP63 Acid Green





GP64 Snow Grit











GP39 Maple











GP46 Fuchsia





GP35 Ailsa



GP42 Orange

25





Bench Heights (mm) 460 | 430 | 380 | 350 | 310 | 260

Enviro Project Tables












Premium project table

- Durable compact table top
- Ideal for scientific studies
- Strong and hard wearing



Enviro Project Tables

Standard project table

- For creative studies
- Smart and stylish
- Strong and durable











Ruby Red

Dusky Blue























GP64 Snow Grit



















GP45 Pea Green







GP46 Fuchsia





GP35 Ailsa







Standard Project Table

EN/BB42/S

Black

L1500 x W600mm

Table Height (mm) 900

Enviro High Tables & Benches









High café tables and benches

- Light yet strong
- Space saving design



ABS Edge Colours



Light Grey



Mid Grey



Ruby Red



Dusky Blue



Green



High Benches

High Tables

EN/AH35H/S

EN/DH35H/S

EN/AF35H/S L1600 x W330 mm 14.50kg EN/DF35H/S L1200 x W330 mm 9.50kg

L1800 x W500mm

L1200 x W500mm

Table Heights (mm) 1010

Bench Heights (mm)

710



Dining Breakout Coffee shop

19.75kg

16.00kg

Enviro Triangular Table

Tables for learning

- Ideal for higher education
- Smart and stylish













Optional brake castor on one leg for easy manoeuvring



Triangular Tables

EN/DT35/S L1200mm Triangular 12.50kg EN/DT35/SC L1200mm Triangular with castor 12.50kg

Table Heights (mm)

760 | 710 | 640 | 590 | 530 | 460







GP63 Acid Green



GP41 Pastel Blue





GP44 Azure





GP65 Lilac





GP45 Pea Green





GP43 Poppy Red GP46 Fuchsia





GP47 Storm





Enviro Coffee Tables









Low level tables

- For smart reception areas
- Light yet strong
- Four sizes

Frame Colours



Silver



ABS Edge Colours



Light Grey



Mid Grey



Ruby Red



Dusky Blue





Coffee Tables

EN/GB39 Square	
EN/GQ39 Quadrant	
EN/DB39 Rectangular	
EN/GD39 Round	

L600 x W600mm 9.50kg L600 x W600mm 5.90kg L1200 x W600mm 15.30kg 600mm Dia. 9.40kg

Table Heights (mm)

Laminate Selection







GP37 Teak

GP63 Acid Green













GP38 Beech































GP47 Storm

Enviro Changing Room Benches

100% water resistant

- Choose your fixings
- Coloured or silver hooks
- Ideal for sports & leisure













Hook Colours





















Red Hooks

Back to back configuration

Changing Room Benches

EN/AF40/S7	1600mm with 7 silver hooks	16kg
EN/AF40/C7	1600mm with 7 coloured hooks	16kg
EN/AF40/S5	1600mm with 5 silver hooks	16kg
EN/AF40/C5	1600mm with 5 coloured hooks	16kg

Bench Height (mm) 380

Changing Room Bench Fixings

EN/AC002	Floor fixing kit
EN/AC003	Wall fixing kit
EN/AC004	Back to back fixing kit

Choose the type of fixing required for your environment

Cloakrooms Sports clubs Swimming pools

330mm

Enviro Workspace Tables











Tables for flexible office space

- Design led edges
- Simplistic lines
- Strong and durable
- Multi configurable









Woodgrain



Workspace Tables

EN/DD48/S Corner Unit L1200 x W1200mm 17.00kg EN/FA48/S L750 x W750mm 12.50kg Square EN/GG48/S Square L600 x W600mm 10.00kg

Table Heights (mm)

Office Collaborative space



Enviro WorkSpace Tables

Tables for flexible office space

- Design led edges
- Simplistic lines
- Strong and durable
- Multi configurable

















Workspace Tables

EN/CA48/S EN/DB48/S EN/ED48/S	Rectangle Rectangle Round	L1400 x W750mm L1200 x W600mm 900mm Dia.	19.50kg 15.30kg 12.50kg
EN/DH48/S	Round	1200mm Dia.	20.80kg

Table Heights (mm) 710







Enviro Outdoor Furniture









Maintenance free furniture

- 100% UV & Weather resistant
- Synthetic wood slats
- Anodised aluminium frame
- 100% recyclable





Security Fixing EN/ACC01

Enviro Outdoor Tables

EN/AE36/OD	L1800 x W900mm	27.00kg
EN/DE36/OD	L1250 x W900mm	18.75kg
EN/DD36/OD	L1250 x W1250mm	27.00kg
EN/EE36/OD	L900 x W900mm	13.00kg
EN/GG36/OD	L790 x W790mm	10.00kg

Table Heights (mm)

760 | 710 | 640 | 590 | 530 | 460

Enviro Benches

EN/AF36/OD	L1600 x W330mm	13.00kg
EN/DF36/OD	L1050 x W330mm	8.50kg
EN/GF36/OD	L700 x W330mm	6.00kg
EN/HF36/OD	L590 x W330mm	4.00ka

Bench Heights (mm)

460 | 430 | 380 | 350 | 310 | 260

Enviro Outdoor Coffee Table

EN/HH36/OD	L560 x W560mm	7.50kg	
Table Height (mm)			
380			

Outdoor learning Outdoor dining Outdoor entertaining

Enviro Outdoor Furniture

Use under school canopies

- Place in pub & hotel gardens
- Smaller sets for balconies











Enviro Outdoor Set 1

EN/SET1/OD L1250 x W900 x H710mm Table

L1050 x W330 x H430mm Benches x 2

Enviro Outdoor Set 2

EN/SET2/OD L1800 x W900 x H710mm Table

L1600 x W330 x H430mm Benches x 2



Enviro Outdoor Set 3

EN/SET3/OD L1250 x W1250 x H710mm Table

L1050 x W330 x H430mm Benches x 4



Enviro Outdoor Set 4

EN/SET4/OD L900 x W900 x H710mm Table

L900 x W330 x H430mm Benches x 4



Enviro Outdoor Furniture









Hard wearing outdoor furniture

- Strong compact laminate top
- Anodised aluminium frame
- Can be used inside and out



benches can be supplied with either a slatted or solid top

Laminate Selection





Warm Grey



Pea Green



Enviro Compact Slatted Tables

EN/BC46/OD	L1500 x W600mm	20.00kg
EN/CC46/OD	L1000 x W600mm	14.00kg
EN/EE46/OD	L600 x W600mm	10.50kg
EN/DD46/OD	L1200mm Round	18.00kg
EN/CD46/OD	L1000mm Round	16.00kg

Table Heights (mm)

760 | 710 | 640 | 590 | 530 | 460

Enviro Compact Slatted Benches

FN/BF46/OD Bench 1500 x 300mm 11.60kg EN/CF46/OD Bench 1000 x 300mm 8.50ka

> Bench Heights (mm) 460 | 430 | 380 | 350 | 310 | 260

Enviro Outdoor Set 8 - slatted in Chestnut only

EN/SET8/OD 1x Table L1500 x W600 x H710mm 2x Bench L1500mm x W330 x H430mm



Outdoor learning Outdoor dining Outdoor entertaining

Enviro Outdoor Furniture

Hard wearing outdoor furniture

- Strong compact laminate top
- Anodised aluminium frame
- Can be used inside and out

















Security Fixing EN/ACC01

Laminate Selection

Enviro Compact Solid Tables

EN/BC47/OD	L1500 x W600mm	20.50kg
EN/CC47/OD	L1000 x W600mm	14.50kg
EN/EE47/OD	L600 x W600mm	11.00kg
EN/DD47/OD	L1200mm Round	18.50kg
EN/CD47/OD	L1000mm Round	16.50kg

Table Heights (mm)

760 | 710 | 640 | 590 | 530 | 460

Enviro Compact Solid Benches

EN/BF47/OD	Bench 1500 x 300mm	12.10kg
EN/CF47/OD	Bench 1000 x 300mm	9.00kg

Bench Heights (mm)

460 | 430 | 380 | 350 | 310 | 260

These tables & benches can be supplied with either a slatted or solid top







Warm Grey





37

Ultralight Staging Systems



















Place the stage deck on top of the riser, connecting each corner of the stage deck with the upright corner bolts on the riser.

Lightweight aluminium staging

- Clever concertina design
- GS approved construction
- Lightweight yet very strong
- Multi configurable

How it works



Take your folded stagé riser



Fully extend the stage riser



Once the corner sections have been connected, tighten with the Allen Key through the small hole in each corner of the stage deck. Alternatively twist the stage riser tube.



Having joined your stage decks and risers together, connect each platform by tightening the locking cleats located on the leading edge of each stage deck.



If required, you can join two risers together for additional height and they will still fold down without having to be disconnected.



The stage decks and risers take up minimal space, making this system the ideal choice for those with limited storage.

Ultralight Staging Components

Ultralight staging system

- GS approved construction
- Tested to 1000kg m² even load
- Point load testing to 180kg
- Simple to operate






Choose from five riser heights











7.00kg

1-2kg





1.1	l+ra	امنا	h+	2m	v.	1 m
U	illa	пg	ΗL	2111	Х	ш

UL/AB60	L2m x W1m Deck Carpeted	12.75kg
UL/AB60V	L2m x W1m Deck Vinyl	14.00kg
UL/AB60H	L2m x W1m Deck Heavy Duty Vinyl	17.00kg
UL/AB65	L2m x W1m Deck Heavy Duty Vinyi L2m x W1m Riser	4-7kg



Ultralight 2m x 0.52m

UL/AC60	L2m x W0.52m Deck Carpeted	9.50kg
UL/AC60V	L2m x W0.52m Deck Vinyl	10.50kg
UL/AC60H	L2m x W0.52m Deck Heavy Duty Vinyl	14.00kg
UL/AC65	L2m x W0.52m Riser	2-3kg
		9



Carpet Colours







Ultralight 1m v 1m

UL/BH65

Ultralignt	IIII X IIII	
UL/BB60	L1m x W1m Deck Carpeted	7.50kg
UL/BB60V	L1m x W1m Deck Vinyl	8.50kg
UL/BB60H	L1m x W1m Deck Heavy Duty Vinyl	12.00kg
UL/BB65	L1m x W1m Riser	2-4kg

UL/BH60H L1m Quadrant Deck Heavy Duty Vinyl

1m Quadrant Riser





UL/BB60	L1m x W1m Deck Carpeted	7.50kg
UL/BB60V	L1m x W1m Deck Vinyl	8.50kg
UL/BB60H	L1m x W1m Deck Heavy Duty Vinyl	12.00kg
UL/BB65	L1m x W1m Riser	2-4kg





Ultralight 1m x 0.52m

UL/BC60	L1m x W0.52m Deck Carpeted	4.50kg
UL/BC60V	L1m x W0.52m Deck Vinyl	5.00kg
UL/BC60H	L1m x W0.52m Deck Heavy Duty Vinyl	7.50kg
UL/BC65	L1m x W0.52m Riser	1.5-3kg





Ultralight 1m Triangle

Officialignic	iiii iiiaiigic	
UL/BD60	L1m Triangle Deck Carpeted	4.00kg
UL/BD60V	L1m Triangle Deck Vinyl	5.00kg
UL/BD60H	L1m Triangle Deck Heavy Duty Vinyl	7.00kg
UL/BD65	1m Triangle Riser	1-2kg





Options

Ultralight 0.52m x 0.52m

UL/CC60	L0.52m x W0.52m Deck Carpeted	2.50kg
UL/CC60V	L0.52m x W0.52m Deck Vinyl	3.50kg
UL/CC60H	L0.52m x W0.52m Deck Heavy Duty Vinyl	5.00kg
UL/CC65	L0.52m x W0.52m Riser	1-2kg





Ultralight Staging Packages











Ultralight staging system

- Clever concertina design
- GS approved construction
- Lightweight yet very strong
- Multi configurable



Carpet Colours



Anthracite Grey



Chianti Red



Sapphire Blue



Moss Green

Vinyl **Options**



Standard Black



Ultralight Package A - 4 x 2m (8m²) - 430mm high

UL/PACKA 4 x Stage Deck 2m x 1m

4 x Stage Riser 2m x 1m - 400mm high

1 x Stage Deck 1m x 0.52m

1 x Stage Riser 1m x 0.52m - 200mm high

2 x Riser Clamps

UL/A070 Valance to cover 3 sides of package A including step

Ultralight Package B - 4 x 3m (12m²) - 430mm high

UL/PACKB 6 x Stage Deck 2m x 1m

6 x Stage Riser 2m x 1m - 400mm high

1 x Stage Deck 1m x 0.52m

1 x Stage Riser 1m x 0.52m - 200mm high

2 x Riser Clamps

UL/A071 Valance to cover 3 sides of package B including step

All packages are supplied with a 5mm Allen Key required for assembly



Ultralight Staging Packages

Ultralight staging system

- GS approved construction
- Tested to 1000kg m² even load
- Point load testing to 180kg
- Simple to operate











Ultralight Package C - 5 x 3m (15m²) - 630mm high

UL/PACKC 6 x Stage Deck 2m x 1m


6 x Stage Riser 2m x 1m - 600mm high

3 x Stage Deck 1m x 1m 3 x Stage Riser 1m x 1m - 600mm high

2 x Stage Deck 1m x 0.52m 1 x Stage Riser 1m x 0.52m - 400mm high

1 x Stage Riser 1m x 0.52m - 200mm high 4 x Riser Clamps

UL/A072 Valance to cover 3 sides of package C including steps



Ultralight Package D - 6 x 3m (18m²) - 630mm high

UL/PACKD 9 x Stage Deck 2m x 1m

9 x Stage Riser 2m x 1m - 600mm high

2 x Stage Deck 1m x 0.52m

1 x Stage Riser 1m x 0.52m - 400mm high 1 x Stage Riser 1m x 0.52m - 200mm high

4 x Riser Clamps

UL/A073 Valance to cover 3 sides of package D including steps

All packages are supplied with a 5mm Allen Key required for assembly

Ultralight Trolley for Packages

UL/A020 Large table trolley

Holds up to 10 x 2m x 1m Decks

+ Risers



Valance Colours













Ultralight Choir Staging











Ultralight staging system

- Clever concertina design
- GS approved construction
- Lightweight yet very strong
- Multi configurable



Carpet Colours



Anthracite Grey



Chianti Red



Sapphire Blue



Vinyl **Options**



Standard Black



Choir package 1

UL/CHOIR1 12 x Stage Decks & Risers 1m x 1m 9 x Choir infill Decks & Risers 1m



Choir package 2

UL/CHOIR2 12 x Stage Decks & Risers 1m x 0.52m 9 x Choir infill Decks & Risers 0.52m 28 x Riser Clamps UL/A052



Choir package 3

UL/CHOIR3 8 x Stage Decks & Risers 1m x 1m

4 x Stage Decks & Risers 1m x 0.52m 6 x Choir infill Decks & Risers 1m 3 x Choir infill Decks & Risers 0.52m

28 x Riser Clamps UL/A052



All packages are supplied with a 5mm Allen Key required for assembly

Ultralight Choir Staging

Ultralight staging system

- GS approved construction
- Tested to 1000kg m² even load
- Point load testing to 180kg
- Simple to operate













Components for 1m wide tier

UL/BE60 1m Large Choir Infill Deck

UL/BE65 1m Large Choir Infill Riser - 600mm high UL/BF60 1m Medium Choir Infill Deck

1m Medium Choir Infill Riser - 400mm high UL/BF65

UL/BG60 1m Small Choir Infill Deck

1m Small Choir Infill Riser - 200mm high UL/BG65

0.52m Large Choir Infill Deck

0.52m Small Choir Infill Deck

0.52m Choir Infill Guardrail

Straight Bracket x 2

0.52m Choir Infill Chair Stop

0.52m Medium Choir Infill Deck

0.52m Large Choir Infill Riser - 600mm high

0.52m Small Choir Infill Riser - 200mm high

0.52m Medium Choir Infill Riser - 400mm high

Safety accessories for 1m wide tier

UL/CE60

UL/CE65 UL/CF60

UL/CF65

UL/CG60

UL/CG65

UI /A037

UL/A043 UL/A034

1m Choir Infill Guardrail UL/A036 UL/A044 1m Choir Infill Chair Stop UL/A034 Straight Bracket x 2

Components for 0.52m wide tier

Safety accessories for 0.5m wide tier



Carpet Colours



Anthracite Grey



Chianti Red





Moss Green

Vinyl **Options**



Standard



A 5mm Allen Key is supplied for assembly

43

Ultralight Trolleys











Ultralight Staging System

- Simple storage solution
- For easy transportation
- Includes safety straps

Large Ultralight Trolley

Dimensions: L1675mm x W745mm Holds 10 x 2m x 1m or 20 x 1m x 1m stage decks and risers





Ultralight Trolleys

UL/A020 Large Ultralight Trolley 25.00kg UL/A021 Small Ultralight Trolley 50.00kg

Small Ultralight Trolley

Dimensions: L875mm x W745mm Holds 10 x 1m x 1m stage decks and risers

Ultralight Step Units

UL/STEP/1 One step unit 430mm high stage (comprises 1 x stage deck 1m x 0.25m + 1 x 200mm stage riser + 2 riser clamps)

UL/STEP/2 Two step unit 630mm high stage (comprises 2 x stage deck 1m x 0.25m +1 x 200mm stage riser + 1 x 400mm stage riser + 4 riser clamps)



Ultralight Accessories

Ultralight Staging System

- For safety and security
- GS approved construction













DDI Compliant Access Ramps available on request



Riser levellers



Anti-slip plugs



Fasten two decks together with the twist of an Allen Key

Ultralight Riser Clamps

Secure your steps or tiered stage with these robust clamps.

UL/A052 Riser clamps

Ultralight Riser Levellers

For levelling your stage on an uneven floor.

UL/A051 Riser levellers (pack of 20)

Ultralight Anti-Slip Plugs

Prevent movement on a slippery floor.

UL/A050 Anti-slip riser plugs (pack of 50)

Ultralight 5mm Allen Key

Supplied free of charge with all staging orders.

M0965009 5mm Allen Key

Ultralight Guardrails











Ultralight staging system

- For safety and security
- GS approved construction



For the safety and security of performers. Secure with brackets.

UL/A030GS Guardrail 1m width 7.75ka UL/A031GS Guardrail 2m width 11.00kg





Ultralight Guardrail Brackets

To securely attached guardrail to the edge of the stage.

Straight bracket (2 required per rail) UL/A034 Corner bracket UL/A035

Ultralight Step Guardrails For use with 0.52m wide steps

UL/A032 2 step quardrail 7.50kg UL/A033 3 step guardrail 10.00kg

Ultralight Small Step Guardrails

For use with 0.25m wide steps

UL/A032GS	Small 2 step guardrail	5.50kg
UL/A033GS	Small 3 step guardrail	8.00kg





Ultralight Accessories

Ultralight staging system

- For safety and security
- GS approved construction
















Ultralight Fire Retardant Valance

Choose your required length and drop

UL/A002 183mm drop UL/A005 230mm drop UL/A004 330mm drop UL/A003 430mm drop UL/A001 630mm drop



Valance





Colours











Ultralight Chair Stop Plates

Prevent chairs from sliding off the stage. Can be used on their own or attached to guardrail.

UL/A041 Chair stop plate per 1m length	0.75kg 1.50kg 3.00kg
--	----------------------------

Laminate Swatch (not Economy)





This range of high pressure laminate conforms to BS EN 438 and is used to make the table and bench tops for all Gopak products with the exception of the Economy folding tables and benches, Premium project tables and Outdoor furniture.

ABS Edge Swatch



Economy Laminate Swatch



A high pressure laminate use in the manufacture of Economy folding tables and stacking benches.


Compact Laminate Swatch (Outdoor)



Compact laminate, unlike high pressure laminate is solid, providing an extremely strong and durable water resistant surface.

Recommended Chair & Table Guide

Coloured dimensions are EN1729 part 1 size marks



Icons Explained



Lifetime Guarantee

On all Gopak folding tables subject to normal wear and tear



GS 5376

Tested by TUV to GS standard



Lightweight

Most of our products are made from aluminium for easy handling



5 Year Guarantee

On all items subject to normal wear and tear



GS EN1729-1

Tested by TUV to GS standard



HEAVYDUTY

For extra strength and durability



Simple Self Assembly

Full assembly instructions will be supplied



BS EN 1729 Part 1

For Dimensional fit



500kg

Tested to hold up to 500g even load



Self Assembly Fit Legs

Simply connect the table / bench legs using the Allen key and fixings provided



BS EN 1729 Parts 1 & 2

For Strength and Durability



LOAD BEARING

Tested up to 1000kg m² even load distribution



Free UK Delivery

To UK Mainland with the exception of Highlands and Islands

Folding Table Dimensions



Internal length at chair height:

Table 1830mm long = 1610mm

Table 1520mm long = 1300mm

Table 1220mm long = 1000mm Table 915mm long = 695mm

Internal width at chair height:


Table 760mm wide = 510mm

Table 685mm wide = 435mm


Table 610mm wide = 390mm

Stacking Bench Dimensions

Stack dimensions for 1830mm long bench (max. 10 benches per stack)



Enviro Table Dimensions



Internal length:

Table 1800mm long = 1660mm

Table 1400mm long = 1260mm

Table 1200mm long = 1060mm

Shield table = 1320mm

Table 1200mm diameter = 720mm

Table 900mm diameter = 530mm

750mm long = 610mm

Internal width:

Table 750mm wide = 610mm

Table 600mm wide = 460mm

FAQ's

What are the differences between the tables ranges?

There are two types of folding tables, a lightweight version and a heavier duty product.

Why buy Gopak

- Multi-functional furniture
- Lightweight yet durable
- Quality hand finished products

Lightweight folding tables from the Contour25, Contour25 Plus, Premier and Economy ranges have an aluminium frame and a high pressure laminate top. Contour25 Plus folding tables feature a leg constructed from aluminium clad steel for improved stability and the Premier Range features the same aluminium clad steel leg and a seamless grey polyurethane edge. The heavier duty Universal, Vantage and Round folding tables have a high pressure laminate top and an aluminium frame with zinc plated elliptical steel legs. These provide exceptional stability. The Vantage Table has a seamless grey polyurethane edge.

The Enviro tables are supplied flat-pack for the user to assemble. The frame and legs are lightweight anodised aluminium and the top is constructed with a honeycomb core. The combination of these features gives a product far lighter than standard fixed leg tables manufactured with steel frames and MDF tops. The legs are fitted to the table frame using the dual Allen Key fixings on each leg which should be tightened fully following the instructions supplied.

How much weight will the products stand?

The tables will withstand a significant amount of weight. For example the lightweight Premier folding table (1830mm x 760mm) withstood a static vertical load of 460kg satisfying BS 5873(1985):Part 3 to test level normal. The Universal, Vantage and Round folding tables have passed BS5873 Part 3 test level normal and are GS Approved products.

How much do the tables weigh?

Folding tables weigh as little as 6.50kg for the smallest table up to 24.25kg for the largest heavy duty Vantage folding table. Enviro tables weigh between 10kg up to 25kg.

How do the products fold?

Lightweight tables – lift the leg cross bar out of the retainer mouldings, initially using both hands and lower the leg down.

Heavy Duty tables – squeeze the bolt mouldings in the Posi-lock together, this will release the bolts from the table chassis and allow the leas to be lowered into position.

This routine can be completed by one or two people depending on the stature of the operator involved.

What are the table tops made from?

High Pressure Laminate bonded to a Hardboard substrate which should be treated in a similar manner to a kitchen work surface.

How should the table tops be cleaned?

Using a non-abrasive household cleaner

How long will the tables last?

All Gopak folding tables come with a Life Time guarantee and all other items manufactured by Gopak are guaranteed for a five year period. You will find that if you treat our products with respect they will last considerably longer. In the UK there are many Gopak products still in use after twenty years and over.





